



## SEM TRAINERS & SYSTEMS

WHERE TIME MOVES AHEAD TO KEEP PACE WITH KNOWLEDGE

SEM- Scientific Educative Methods in Science, Engineering & Medicine

**Mobile :** +91 88495 63724  
**Mobile 1:** +91 98791 03905

**Email:** sem@semtrainers.com  
**Website:** www.semtrainers.com



## Digital Ear Examination Trainer - Light

**Item No.** SB52823  
**Weight**  
**Make:** Nasco Healthcare, USA

[Read More](#)

**SKU:**

**Categories:**Ear

### Product Description

Facilitate the most realistic training experience in ear examination.

- Simple to set up and use
- Soft, flexible, and realistic pinna and ear canal
- High-resolution digital display
- Easy-to-use digital control for 48 ear conditions
- Examination cover to hide displays of condition numbers
- Sleep mode to conserve power
- Includes rigid carrying case, mains adapter with worldwide plug fixings, and instruction manual

## Ear conditions:

- Normal I
- Normal II
- Earwax (cerumen)
- Swimmer's osteoma
- Fungal ear I
- Fungal ear II
- Acute viral ear
- Acute secretory otitis media I
- Resolving secretory otitis media
- Acute secretory otitis media II
- Acute secretory otitis media III
- Perforation following an acute suppurative otitis media (ASOM)
- Childhood glue ear
- Glue ear in a child with a dermoid cyst in the eardrum
- Adult glue ear
- A standard ventilation tube in the membrane
- Infected mini grommet with otitis externa secondary to a mucus discharge
- Permanent ventilation tube in place
- Large perforation of the tympanic membrane
- A posterior perforation of the tympanic membrane
- 2 small traumatic perforations following a blow to the ear
- Subtotal perforation of the tympanic membrane
- Perforation with tympanosclerosis
- Grommet scar healed
- Tympanosclerosis of tympanic membrane
- Posterior retraction
- Retraction onto long process of the incus
- Retraction with loss of long process of the incus and keratin trail
- Retraction with loss of long process of the incus
- Posterior retraction pocket onto jugular bulb and with middle ear fluid
- Retraction with early keratin buildup
- Childhood attic retraction
- Deep attic retraction
- Attic retraction accumulation keratin - underlying cholesteatoma
- Extensive accumulation with cholesteatoma in middle ear
- Wet cholesteatoma
- Clean dry reconstructed mastoid cavity
- Old style mastoid cavity with residual cholesteatoma

- Mastoid cavity with fistula into lateral semicircular canal
- Congenital cholesteatoma
- Large congenital cholesteatoma
- Ear canal cholesteatoma I
- Ear canal cholesteatoma II
- Keratosis obturans
- Glomus tympanicum tumors
- Glomus jugulare tumor
- Foreign bodies
- Aural polyp