

SEM TRAINERS & SYSTEMS

WHERE TIME MOVES AHEAD TO KEEP PACE WITH KNOWLEDGE

SEM- Scientific Educative Methods in Science, Engineering & Medicine

Email: Mobile: +91 88495 63724 sem@semtrainers.com Mobile 1: +91 98791 03905 Website: www.semtrainers.com



Tactical Combat Casualty Care Simulator with Major Vascular **Injuries - TCCS 2**

Item No. 1021381 Weight 97.5 kg

Dimensions 190.5 x 53.4 x 27.9 cm Brand Operative Experience Inc.

MPN: TCCS2

Read More

SKU:

Categories: TCCC Training Manikins

















Product Description

Complete simulator with major vascular injuries to enhance Tactical Combat Casualty Care (TCCC) training

The full body Tactical Casualty Care Simulator 2 (TCCS 2) offers military, government forces, medical rescue, and private security the opportunity to realistically train combat trauma care for major vascular injuries using common wound patterns found in combat casualties.

Tactical Combat Casualty Care training can get rough and this trauma simulator was built to last even under the toughest training scenarios. It is highly ruggedized and water resistant and can be used both outdoors in battlefield training and indoors in classroom settings:

- Simulates combat trauma injuries and major vascular injuries for training of hemorrhage management and airway control with life-like tissue
- Full-body simulator, realistic size and weight (1,93 m/ 6'4" and 84 kg/ 185lb) with fully articulating limbs for high threat extraction training
- Simple to operate, fully mobile and remotely controlled for realistic TCCC field training scenarios
- Easy-to-use instructor interface tablet with simulation logs and self-diagnosis
- Remote controlled (up to 48 m/ 52 yards distance): respiratory and heart rate, pulsating bleeding and arterial hemorrhage with 11 I (3-gallon) blood reservoir

Use the TCCS 2 to simulate combat trauma scenarios featuring injuries from an IED (improvised explosive device) attack followed by an ambush. Prehospital patient care in combat scenarios focuses on fast solutions for hemorrhage control, wound management, and airway stabilization.

The TCCS 2 offers the following training scenarios for **combat casualty care management**:

Tactical Combat Casualty Care Simulation						
Included Standard TCCC Simulation Features						
Major Vascular Injury	Hemorrhage Management	Airway Management	Breathing and Circulation			



Shrapnel injury to neck causing major vascular injury	Bleeding control via elevation, pressure points and kneedropping method	Insertion of nasal & oral pharyngeal airways	Bilateral and independent chest excursion
Oblique through-and-through gunshot wound to right groin above tourniquet line	Apply tourniquets to control mas-sive hemorrhage (CAT, junctional)	Advanced foreign body removal	Midclavicular and midaxillary needle decompression for tension pneumothorax
Gunshot wound to left thigh	E∏ective drop knee technique	Suction of the airway	Humeral and sternal intraosseous infusion
Open tibia/ fibula fracture	Multiple and independent bleeding sites	Perform intubation (King LT and I-Gel)	Respiratory distress
	Through and through wounds	External ventilation (Bag Valve Mask)	Carotid and radial pulses
	Wound packing for severely bleeding wounds	Cricotherotomy	

The Tactical Casualty Care Simulator 2 is delivered with:

- Two-way communication headset, range up to 91 m/ 100 yards
- Instructor Control Interface Tablet and Case, Software and License
- Rugged Carry Case
- 3,8 l (1 gal) concentrated, simulated blood (antimicrobial, antifungal, antifreeze)
- 2 x rechargeable batteries 18V 12A hour lithium-ion, (electrical input 110V)

Watch the **demo video** to see TCCC training with a Tactical Casualty Care Simulator:

Choose your wound configuration with the following TCCS feature comparison

All Tactical Combat Casualty Care simulators include the standard features (hemorrhage management, airway management, and advanced trauma life support), plus these specific combat





wound configurations:

TCCS 1:	TCCS 2:	TCCS 3:	TCCS 4:	TCCS 5:
Gunshot Wound Management	Major Vascular Injury	Traumatic Amputation Injuries	Multiple Traumatic Gunshot Wound and Amputation Injuries	Abdominal Wounds with Evisceration
1021380	1021381	1021382	1021383	1021384
Gunshot wound to the face causing hemic drowning	Shrapnel injury to neck causing major vascular injury	Traumatic amputations above left elbow, above left knee, and at upper right thigh above tourniquet line	Traumatic amputation above the left elbow and the left knee	Open abdominal wound with evisceration
Gunshot wound to left upper arm	Oblique through-and- through gunshot wound to right groin above tourniquet line	Burn, blast and fragment wounds on left side of body	Fragmentation wounds to left side of the body	Traumatic amputation above right wrist
Fragment wounds to the left chest	Gunshot wound to left thigh	-	Sucking chest wound (i.e. open pneumothorax)	Deep avulsion of the posterior proximal right thigh
_	Open tibia/ fibula fracture	-	Burns to the left side of the face	-

Watch Mick Navin, CEO of Operative Experience, Inc. on TV using the TCCS to explain hemorrhage control techniques for "Stop the Bleed" day:





